

Cohort, Exam 1

Dietary Intake Form: FORM CODE=DTI VERSION=A

Instructions: This form should be completed during the interview portion of the participant's visit. Whenever numerical responses are required, enter the number so that the last digit appears in the rightmost box. Enter leading zeroes where necessary to fill all boxes.

A. [RC 1] DIARY FOODS

"In the past year, how often on average did you consume..."

<i>DTIA01</i>		<i>Skim or low fat milk; 8 oz. glass Q1</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
33	A	>6 per day
157	B	4-6 per day
1487	C	2-3 per day
3779	D	1 per day
472	E	5-6 per week
1650	F	2-4 per week
886	G	1 per week
805	H	1-3 per month
6482	I	Almost Never
15		Missing

<i>DTIA02</i>		<i>Whole milk; 8oz. glass Q2</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
16	A	>6 per day
47	B	4-6 per day
407	C	2-3 per day
1369	D	1 per day
223	E	5-6 per week
1171	F	2-4 per week
931	G	1 per week
1098	H	1-3 per month
10490	I	Almost Never
14		Missing

Cohort, Exam 1

<i>DTIA03</i>		<i>Yogurt; 1 c. Q3</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
4	B	4-6 per day
49	C	2-3 per day
341	D	1 per day
139	E	5-6 per week
908	F	2-4 per week
1062	G	1 per week
1859	H	1-3 per month
11388	I	Almost Never
15		Missing

<i>DTIA04</i>		<i>Ice cream; 1/2 c. Q4</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11	A	>6 per day
23	B	4-6 per day
214	C	2-3 per day
849	D	1 per day
507	E	5-6 per week
2675	F	2-4 per week
2826	G	1 per week
4447	H	1-3 per month
4196	I	Almost Never
18		Missing

Cohort, Exam 1

<i>DTIA05</i>		<i>Cottage cheese or ricotta cheese; 1/2 c. Q5</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	A	>6 per day
5	B	4-6 per day
47	C	2-3 per day
253	D	1 per day
190	E	5-6 per week
1322	F	2-4 per week
1879	G	1 per week
3380	H	1-3 per month
8673	I	Almost Never
1	P	
13		Missing

<i>DTIA06</i>		<i>Other cheeses, plain or as part of a dish; 1 slice or serving Q6</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	A	>6 per day
34	B	4-6 per day
224	C	2-3 per day
1481	D	1 per day
1122	E	5-6 per week
4382	F	2-4 per week
3690	G	1 per week
3112	H	1-3 per month
1699	I	Almost Never
1	R	
14		Missing

Cohort, Exam 1

<i>DTIA07</i>		<i>Margarine or a margarine/butter blend; pats added to food or bread Q7</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
65	A	>6 per day
340	B	4-6 per day
3060	C	2-3 per day
5315	D	1 per day
1120	E	5-6 per week
2277	F	2-4 per week
1020	G	1 per week
685	H	1-3 per month
1868	I	Almost Never
16		Missing

<i>DTIA08</i>		<i>Butter; pats added to food or bread Q8</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
20	A	>6 per day
78	B	4-6 per day
685	C	2-3 per day
1576	D	1 per day
386	E	5-6 per week
899	F	2-4 per week
891	G	1 per week
1009	H	1-3 per month
10204	I	Almost Never
18		Missing

B. [RC 1] FRUITS

"In the past year, how often on average did you consume..."

Cohort, Exam 1

<i>DTIA09</i>		<i>Fresh apples or pears; 1 Q9</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15	A	>6 per day
40	B	4-6 per day
426	C	2-3 per day
2726	D	1 per day
895	E	5-6 per week
3642	F	2-4 per week
2777	G	1 per week
2747	H	1-3 per month
2481	I	Almost Never
1	T	
16		Missing

<i>DTIA10</i>		<i>Oranges; 1 Q10</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6	A	>6 per day
15	B	4-6 per day
150	C	2-3 per day
1170	D	1 per day
437	E	5-6 per week
2610	F	2-4 per week
3128	G	1 per week
3577	H	1-3 per month
4656	I	Almost Never
1	Y	
16		Missing

Cohort, Exam 1

<i>DTIA11</i>		<i>Orange or grapefruit juice; small glass Q11</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
19	A	>6 per day
44	B	4-6 per day
475	C	2-3 per day
4438	D	1 per day
975	E	5-6 per week
2867	F	2-4 per week
1956	G	1 per week
2040	H	1-3 per month
2936	I	Almost Never
1	M	
15		Missing

<i>DTIA12</i>		<i>Peaches, apricots, plums; 1 fresh or 1/2 c. canned or dried Q12</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	A	>6 per day
7	B	4-6 per day
74	C	2-3 per day
465	D	1 per day
255	E	5-6 per week
1810	F	2-4 per week
2776	G	1 per week
4517	H	1-3 per month
5844	I	Almost Never
1	S	
14		Missing

Cohort, Exam 1

<i>DTIA13</i>		<i>Bananas; 1 Q13</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	A	>6 per day
21	B	4-6 per day
165	C	2-3 per day
2398	D	1 per day
788	E	5-6 per week
3980	F	2-4 per week
3165	G	1 per week
2926	H	1-3 per month
2304	I	Almost Never
15		Missing

<i>DTIA14</i>		<i>Other fruits; 1 fresh or 1/2 c. canned, including fruit cocktail Q14</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
22	B	4-6 per day
207	C	2-3 per day
1235	D	1 per day
630	E	5-6 per week
2584	F	2-4 per week
3269	G	1 per week
3601	H	1-3 per month
4201	I	Almost Never
16		Missing

C. [RC 1] VEGETABLES - - Portion is 1/2 c.

"In the past year, how often on average did you consume..."

Cohort, Exam 1

<i>DTIA15</i>		<i>String or green beans; 1/2 c. Q15</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
10	B	4-6 per day
76	C	2-3 per day
544	D	1 per day
596	E	5-6 per week
4861	F	2-4 per week
5350	G	1 per week
3254	H	1-3 per month
1058	I	Almost Never
15		Missing

<i>DTIA16</i>		<i>Broccoli; 1/2 c. Q16</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
8	B	4-6 per day
32	C	2-3 per day
260	D	1 per day
467	E	5-6 per week
3318	F	2-4 per week
4526	G	1 per week
3415	H	1-3 per month
3721	I	Almost Never
1	R	
16		Missing

Cohort, Exam 1

<i>DTIA17</i>		<i>Cabbage, cauliflower, brussels sprouts; 1/2 c. Q17</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	A	>6 per day
2	B	4-6 per day
28	C	2-3 per day
207	D	1 per day
297	E	5-6 per week
2534	F	2-4 per week
4838	G	1 per week
5023	H	1-3 per month
2814	I	Almost Never
20		Missing

<i>DTIA18</i>		<i>Carrots; 1 whole or 1/2 c. cooked Q18</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
7	B	4-6 per day
32	C	2-3 per day
373	D	1 per day
338	E	5-6 per week
2271	F	2-4 per week
4252	G	1 per week
4556	H	1-3 per month
3916	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA19</i>		<i>Corn; 1 ear or 1/2 c. Q19</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
3	B	4-6 per day
15	C	2-3 per day
116	D	1 per day
161	E	5-6 per week
2313	F	2-4 per week
4988	G	1 per week
5542	H	1-3 per month
2607	I	Almost Never
20		Missing

<i>DTIA20</i>		<i>Spinach, collards, or other greens, but do not include lettuce; 1/2 c. Q20</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
3	B	4-6 per day
30	C	2-3 per day
246	D	1 per day
243	E	5-6 per week
2366	F	2-4 per week
3750	G	1 per week
4353	H	1-3 per month
4756	I	Almost Never
18		Missing

Cohort, Exam 1

<i>DTIA21</i>		<i>Peas or lima beans; 1/2 c. fresh, frozen or canned Q21</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
3	B	4-6 per day
30	C	2-3 per day
154	D	1 per day
212	E	5-6 per week
2906	F	2-4 per week
5377	G	1 per week
4725	H	1-3 per month
2336	I	Almost Never
21		Missing

<i>DTIA22</i>		<i>Dark yellow, winter squash such as acorn, butternut; 1/2 c. Q22</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	C	2-3 per day
23	D	1 per day
18	E	5-6 per week
419	F	2-4 per week
1415	G	1 per week
3888	H	1-3 per month
9982	I	Almost Never
19		Missing

<i>DTIA23</i>		<i>Sweet potatoes; 1/2 c. Q23</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	4-6 per day
4	C	2-3 per day
83	D	1 per day
27	E	5-6 per week
585	F	2-4 per week
1573	G	1 per week
4357	H	1-3 per month
9119	I	Almost Never
17		Missing

Cohort, Exam 1

<i>DTIA24</i>		<i>Baked beans or lentils, dried cooked or canned, such as pinto, blackeye, baked beans; 1/2 c. Q24</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
17	C	2-3 per day
103	D	1 per day
149	E	5-6 per week
1536	F	2-4 per week
3327	G	1 per week
5569	H	1-3 per month
5046	I	Almost Never
18		Missing

<i>DTIA25</i>		<i>Tomatoes; 1, or tomato juice; 4 oz. Q25</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
9	A	>6 per day
14	B	4-6 per day
98	C	2-3 per day
1079	D	1 per day
794	E	5-6 per week
3954	F	2-4 per week
4219	G	1 per week
3351	H	1-3 per month
2228	I	Almost Never
20		Missing

D. [RC 1] MEATS

"In the past year, how often on average did you consume..."

Cohort, Exam 1

<i>DTIA26</i>		<i>Chicken or turkey, without skin Q26</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	B	4-6 per day
72	C	2-3 per day
409	D	1 per day
571	E	5-6 per week
4246	F	2-4 per week
3703	G	1 per week
2123	H	1-3 per month
4621	I	Almost Never
18		Missing

<i>DTIA27</i>		<i>Chicken or turkey, with skin Q27</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
2	B	4-6 per day
17	C	2-3 per day
149	D	1 per day
155	E	5-6 per week
2505	F	2-4 per week
3446	G	1 per week
2421	H	1-3 per month
7052	I	Almost Never
18		Missing

<i>DTIA28</i>		<i>Hamburgers; 1 Q28</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
28	C	2-3 per day
187	D	1 per day
287	E	5-6 per week
3278	F	2-4 per week
5671	G	1 per week
3792	H	1-3 per month
2504	I	Almost Never
18		Missing

Cohort, Exam 1

<i>DTIA29</i>		<i>Hot Dogs; 1 Q29</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
1	B	4-6 per day
7	C	2-3 per day
79	D	1 per day
73	E	5-6 per week
1108	F	2-4 per week
3291	G	1 per week
4711	H	1-3 per month
6477	I	Almost Never
18		Missing

<i>DTIA30</i>		<i>Processed meats: sausage, salami, bologna, etc.; piece or slice Q30</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
15	B	4-6 per day
57	C	2-3 per day
852	D	1 per day
430	E	5-6 per week
2829	F	2-4 per week
2984	G	1 per week
3757	H	1-3 per month
4822	I	Almost Never
18		Missing

Cohort, Exam 1

<i>DTIA31</i>		<i>Bacon; 2 slices Q31</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
10	B	4-6 per day
47	C	2-3 per day
739	D	1 per day
214	E	5-6 per week
2273	F	2-4 per week
3097	G	1 per week
3799	H	1-3 per month
5568	I	Almost Never
18		Missing

<i>DTIA32</i>		<i>Beef, pork, or lamb as a sandwich or mixed dish, stew, casserole, lasagne, or in spaghetti sauce, etc. Q32</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
4	B	4-6 per day
39	C	2-3 per day
321	D	1 per day
375	E	5-6 per week
3811	F	2-4 per week
4717	G	1 per week
4432	H	1-3 per month
2047	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA33</i>		<i>Beef, pork, or lamb as a main dish, steak, roast, ham, etc. Q33</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
3	B	4-6 per day
26	C	2-3 per day
414	D	1 per day
478	E	5-6 per week
4852	F	2-4 per week
5037	G	1 per week
3370	H	1-3 per month
1566	I	Almost Never
19		Missing

<i>DTIA34</i>		<i>Canned tuna fish; 3-4 oz. Q34</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
17	C	2-3 per day
162	D	1 per day
208	E	5-6 per week
1769	F	2-4 per week
3437	G	1 per week
5212	H	1-3 per month
4939	I	Almost Never
21		Missing

<i>DTIA35</i>		<i>Dark meat fish, such as salmon, mackerel, swordfish, sardines, bluefish; 3-5 oz. Q35</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
4	C	2-3 per day
26	D	1 per day
38	E	5-6 per week
595	F	2-4 per week
1979	G	1 per week
4298	H	1-3 per month
8802	I	Almost Never
23		Missing

Cohort, Exam 1

<i>DTIA36</i>		<i>Other fish, such as cod, perch, catfish, etc.; 3-5 oz. Q36</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
2	B	4-6 per day
5	C	2-3 per day
52	D	1 per day
72	E	5-6 per week
1414	F	2-4 per week
4215	G	1 per week
4918	H	1-3 per month
5065	I	Almost Never
22		Missing

<i>DTIA37</i>		<i>Shrimp, lobster, scallops as a main dish Q37</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	4-6 per day
3	C	2-3 per day
9	D	1 per day
4	E	5-6 per week
224	F	2-4 per week
1247	G	1 per week
4433	H	1-3 per month
9823	I	Almost Never
22		Missing

Cohort, Exam 1

<i>DTIA38</i>		<i>Eggs; 1 Q38</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	A	>6 per day
10	B	4-6 per day
198	C	2-3 per day
1291	D	1 per day
527	E	5-6 per week
4258	F	2-4 per week
3743	G	1 per week
2690	H	1-3 per month
3024	I	Almost Never
21		Missing

E. [RC 1] SWEETS, BAKED GOODS, CEREALS

"In the past year, how often on average did you consume..."

<i>DTIA39</i>		<i>Chocolate bars or pieces, such as Hershey's, Plain, M&M's, Snickers, Reeses; 1 oz. Q39</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10	A	>6 per day
20	B	4-6 per day
159	C	2-3 per day
914	D	1 per day
570	E	5-6 per week
2318	F	2-4 per week
2738	G	1 per week
3728	H	1-3 per month
5290	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA40</i>		<i>Candy without chocolate; 1 oz. Q40</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	A	>6 per day
10	B	4-6 per day
80	C	2-3 per day
583	D	1 per day
238	E	5-6 per week
1301	F	2-4 per week
2480	G	1 per week
3448	H	1-3 per month
7603	I	Almost Never
19		Missing

<i>DTIA41</i>		<i>Pie, homemade from scratch; 1 slice Q41</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
2	B	4-6 per day
9	C	2-3 per day
89	D	1 per day
47	E	5-6 per week
576	F	2-4 per week
1769	G	1 per week
4589	H	1-3 per month
8662	I	Almost Never
22		Missing

Cohort, Exam 1

<i>DTIA42</i>		<i>Pie, ready-made or from a mix; 1 slice Q42</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	B	4-6 per day
3	C	2-3 per day
63	D	1 per day
28	E	5-6 per week
358	F	2-4 per week
1224	G	1 per week
3554	H	1-3 per month
10516	I	Almost Never
18		Missing

<i>DTIA43</i>		<i>Donut; 1 Q43</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	4-6 per day
32	C	2-3 per day
269	D	1 per day
128	E	5-6 per week
991	F	2-4 per week
2082	G	1 per week
4226	H	1-3 per month
8019	I	Almost Never
18		Missing

<i>DTIA44</i>		<i>Biscuits or cornbread; 1 Q44</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
9	B	4-6 per day
99	C	2-3 per day
1438	D	1 per day
323	E	5-6 per week
2393	F	2-4 per week
2707	G	1 per week
3816	H	1-3 per month
4961	I	Almost Never
18		Missing

Cohort, Exam 1

<i>DTIA45</i>		<i>Danish pastry, sweet roll, coffee cake, croissant; 1 Q45</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
2	B	4-6 per day
12	C	2-3 per day
296	D	1 per day
147	E	5-6 per week
1348	F	2-4 per week
2504	G	1 per week
4180	H	1-3 per month
7258	I	Almost Never
18		Missing

<i>DTIA46</i>		<i>Cake or brownie; 1 piece Q46</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2	A	>6 per day
13	C	2-3 per day
192	D	1 per day
120	E	5-6 per week
1255	F	2-4 per week
2887	G	1 per week
5159	H	1-3 per month
6119	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA47</i>		<i>Cookies; 1 Q47</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
24	A	>6 per day
74	B	4-6 per day
382	C	2-3 per day
1019	D	1 per day
937	E	5-6 per week
2752	F	2-4 per week
2746	G	1 per week
3579	H	1-3 per month
4232	I	Almost Never
21		Missing

<i>DTIA48</i>		<i>Cold breakfast cereal; 1/2 c. Q48</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	A	>6 per day
38	B	4-6 per day
327	C	2-3 per day
2354	D	1 per day
1288	E	5-6 per week
3585	F	2-4 per week
1905	G	1 per week
1805	H	1-3 per month
4439	I	Almost Never
21		Missing

Cohort, Exam 1

<i>DTIA49</i>		<i>Cooked cereals such as oatmeal, grits, cream of wheat; 1/2 c. Q49</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	A	>6 per day
3	B	4-6 per day
49	C	2-3 per day
877	D	1 per day
317	E	5-6 per week
2731	F	2-4 per week
2324	G	1 per week
2658	H	1-3 per month
6786	I	Almost Never
18		Missing

<i>DTIA50</i>		<i>White bread; 1 slice Q50</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
60	A	>6 per day
342	B	4-6 per day
1993	C	2-3 per day
2714	D	1 per day
1070	E	5-6 per week
2312	F	2-4 per week
1182	G	1 per week
991	H	1-3 per month
5084	I	Almost Never
18		Missing

Cohort, Exam 1

<i>DTIA51</i>		<i>Dark or whole grain bread; 1 slice Q51</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	A	>6 per day
232	B	4-6 per day
2010	C	2-3 per day
3023	D	1 per day
1525	E	5-6 per week
2859	F	2-4 per week
1332	G	1 per week
1129	H	1-3 per month
3616	I	Almost Never
19		Missing

F. [RC 1] MISCELLANEOUS

"In the past year, how often on average did you consume..."

<i>DTIA52</i>		<i>Peanut butter; 1 tbsp Q52</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	A	>6 per day
35	B	4-6 per day
183	C	2-3 per day
965	D	1 per day
683	E	5-6 per week
2479	F	2-4 per week
2517	G	1 per week
3363	H	1-3 per month
5515	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA53</i>		<i>Potato or corn chips; small bag or 1 oz. Q53</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	A	>6 per day
5	B	4-6 per day
52	C	2-3 per day
442	D	1 per day
404	E	5-6 per week
1960	F	2-4 per week
3048	G	1 per week
4025	H	1-3 per month
5806	I	Almost Never
21		Missing

<i>DTIA54</i>		<i>French fried potatoes; 1 serving, 4 oz. Q54</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	B	4-6 per day
11	C	2-3 per day
82	D	1 per day
122	E	5-6 per week
1583	F	2-4 per week
3386	G	1 per week
4748	H	1-3 per month
5814	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA55</i>		<i>Nuts; 1 oz. Q55</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	A	>6 per day
7	B	4-6 per day
52	C	2-3 per day
357	D	1 per day
251	E	5-6 per week
1448	F	2-4 per week
2356	G	1 per week
4715	H	1-3 per month
6555	I	Almost Never
21		Missing

<i>DTIA56</i>		<i>Potatoes, mashed; 1 c. or baked; 1 Q56</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	B	4-6 per day
45	C	2-3 per day
715	D	1 per day
905	E	5-6 per week
5469	F	2-4 per week
4505	G	1 per week
3005	H	1-3 per month
1099	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA57</i>		<i>Rice; 1/2 c. Q57</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3	A	>6 per day
6	B	4-6 per day
31	C	2-3 per day
241	D	1 per day
216	E	5-6 per week
3073	F	2-4 per week
4651	G	1 per week
4289	H	1-3 per month
3234	I	Almost Never
22		Missing

<i>DTIA58</i>		<i>Spaghetti, noodles or other pasta; 1/2 c. Q58</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	B	4-6 per day
20	C	2-3 per day
73	D	1 per day
144	E	5-6 per week
1958	F	2-4 per week
5295	G	1 per week
5762	H	1-3 per month
2491	I	Almost Never
19		Missing

<i>DTIA59</i>		<i>Home-fried food, such as any meats, poultry, fish, shrimp, eggs, vegetables, etc.; 1 serving Q59</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13	B	4-6 per day
117	C	2-3 per day
1024	D	1 per day
685	E	5-6 per week
4007	F	2-4 per week
3418	G	1 per week
2800	H	1-3 per month
3681	I	Almost Never
21		Missing

Cohort, Exam 1

<i>DTIA60</i>		<i>Food fried away from home, such as any fish, chicken, chicken nuggets, etc. Q60</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1	A	>6 per day
8	B	4-6 per day
20	C	2-3 per day
262	D	1 per day
196	E	5-6 per week
1862	F	2-4 per week
3231	G	1 per week
4405	H	1-3 per month
5761	I	Almost Never
20		Missing

G. [RC 1] BEVERAGES

"In the past year, how often on average did you consume..."

<i>DTIA61</i>		<i>Coffee, not decaffeinated; 1 c. Q61</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1020	A	>6 per day
1652	B	4-6 per day
3590	C	2-3 per day
3054	D	1 per day
337	E	5-6 per week
734	F	2-4 per week
479	G	1 per week
618	H	1-3 per month
4262	I	Almost Never
20		Missing

Cohort, Exam 1

<i>DTIA62</i>		<i>Tea, iced or hot, not including decaf or herbal tea; 1 cup Q62</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
107	A	>6 per day
284	B	4-6 per day
1176	C	2-3 per day
2207	D	1 per day
569	E	5-6 per week
1933	F	2-4 per week
1532	G	1 per week
1895	H	1-3 per month
6044	I	Almost Never
19		Missing

<i>DTIA63</i>		<i>Low calorie soft drinks, such as any diet Coke, diet Pepsi, diet 7-Up; 1 glass Q63</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
61	A	>6 per day
211	B	4-6 per day
1213	C	2-3 per day
2082	D	1 per day
669	E	5-6 per week
1877	F	2-4 per week
1157	G	1 per week
1297	H	1-3 per month
7180	I	Almost Never
19		Missing

Cohort, Exam 1

<i>DTIA64</i>		<i>Regular soft drinks, such as Coke, Pepsi, 7-Up, ginger ale; 1 glass Q64</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
45	A	>6 per day
104	B	4-6 per day
713	C	2-3 per day
1902	D	1 per day
532	E	5-6 per week
2200	F	2-4 per week
1625	G	1 per week
1835	H	1-3 per month
6789	I	Almost Never
21		Missing

<i>DTIA65</i>		<i>Fruit-flavored punch or non-carbonated beverages, such as lemonade, Kool-Aid or Hawaiian Punch; not diet; 1 glass Q65</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8	A	>6 per day
36	B	4-6 per day
215	C	2-3 per day
759	D	1 per day
266	E	5-6 per week
1344	F	2-4 per week
1423	G	1 per week
2571	H	1-3 per month
9122	I	Almost Never
22		Missing

H. OTHER DIETARY ITEMS

<i>DTIA66</i>		<i>How often do you eat liver; 3-4 oz. serving Q66</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
606	A	1/week
1447	B	2-3/month
7770	C	1/month or less
5926	D	Never
17		Missing

Cohort, Exam 1

<i>DTIA67</i>		<i>Are there any other foods that you usually eat at least twice per week such as tortillas, prunes, or avocado? Do not include dry spices nor something that has been listed previously. Q67</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12920	N	No [skip to Q.74]
2732	Y	Yes
114		Missing

<i>DTIA68</i>		<i>Code of first other food Q68</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	Present	Text suppressed

<i>DTIA68A</i>		<i>List first other food and usual portion size Q68a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2745	Present	Text suppressed
13021		Missing

<i>DTIA69</i>		<i>Frequency of first other food Q69</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
21	A	>6 per day
43	B	4-6 per day
235	C	2-3 per day
663	D	1 per day
415	E	5-6 per week
1369	F	2-4 per week
13020		Missing

<i>DTIA70</i>		<i>Code of second other food Q70</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	Present	Text suppressed

<i>DTIA70A</i>		<i>List second other food and usual portion size Q70a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
935	Present	Text suppressed
14831		Missing

Cohort, Exam 1

<i>DTIA71</i>		<i>Frequency of second other food Q71</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
7	A	>6 per day
13	B	4-6 per day
59	C	2-3 per day
218	D	1 per day
131	E	5-6 per week
509	F	2-4 per week
14829		Missing

<i>DTIA72</i>		<i>Code of third other food Q72</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	Present	Text suppressed

<i>DTIA72A</i>		<i>List third other food and usual portion size Q72a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
378	Present	Text suppressed
15388		Missing

<i>DTIA73</i>		<i>Frequency of third other food Q73</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
4	A	>6 per day
2	B	4-6 per day
25	C	2-3 per day
83	D	1 per day
56	E	5-6 per week
223	F	2-4 per week
15373		Missing

<i>DTIA74</i>		<i>What do you do with visible fat on meat Q74</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
852	A	Eat most of the fat
2076	B	Eat some of the fat
12569	C	Eat as little as possible
213	D	Don't eat meat
56		Missing

Cohort, Exam 1

<i>DTIA75</i>		<i>[RC 5] What kind of fat do you usually use for frying and sauteing foods at home, excluding "Pam"-type spray? Q75</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
294	A	Real Butter <i>[skip to Q.77]</i>
1809	B	Margarine
9388	C	Vegetable Oil
2598	D	Vegetable Shortening
132	E	Lard <i>[skip to Q.77]</i>
167	F	Bacon Grease <i>[skip to Q.77]</i>
794	G	Not Applicable <i>[skip to Q.77]</i>
551	H	Unknown <i>[skip to Q.77]</i>
33		Missing

<i>DTIA76</i>		<i>Code for frying source Q76</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13772	Present	Text suppressed
1994		Missing

<i>DTIA76A</i>		<i>Brand and form for frying Q76a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13764	Present	Text suppressed
2002		Missing

<i>DTIA77</i>		<i>[RC 5] What kind of fat do you usually use for baking? Q77</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1149	A	Real Butter <i>[skip to Q.79]</i>
3526	B	Margarine
2479	C	Vegetable Oil
4335	D	Vegetable Shortening
126	E	Lard <i>[skip to Q.79]</i>
39	F	Bacon Grease <i>[skip to Q.79]</i>
2530	G	Not Applicable <i>[skip to Q.79]</i>
1537	H	Unknown <i>[skip to Q.79]</i>
45		Missing

Cohort, Exam 1

<i>DTIA78</i>		<i>Code for baking source Q78</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10290	Present	Text suppressed
5476		Missing

<i>DTIA78A</i>		<i>Brand and form for baking Q78a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
10323	Present	Text suppressed
5443		Missing

<i>DTIA79A</i>		<i>[RC 6] What brand and form of margarine do you usually use at the table? Q79a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1844	A	None
7633	B	Stick
4638	C	Tub
1008	D	Diet (low calorie)
603	E	Other
40		Missing

<i>DTIA79B</i>		<i>Code for margarine Q79b</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	Present	Text suppressed

<i>DTIA79C</i>		<i>Brand for margarine Q79c</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13608	Present	Text suppressed
2158		Missing

<i>DTIA80</i>		<i>What kind of cold cereal do you most often use? (Enter code) Q80</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	Present	Text suppressed

<i>DTIA80A</i>		<i>Brand of breakfast cereal Q80a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
13617	Present	Text suppressed
2149		Missing

Cohort, Exam 1

<i>DTIA81</i>		<i>Are you currently on a special diet? Q81</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
12898	N	No [<i>skip to Q.84</i>]
2843	Y	Yes
25		Missing

<i>DTIA82</i>		<i>How many years on the special diet Q82</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2756	Range	0 - 59 (median=2 mean=4.4 std=6.7)
13010		Missing

<i>DTIA83</i>		<i>Type of diet Q83</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
558	A	Weight Loss
467	B	Low Salt
1012	C	Low Cholesterol
5	D	Weight Gain
542	E	Diabetic
259	F	Other
12923		Missing

<i>DTIA84</i>		<i>How many teaspoons of sugar do you add to your food daily? Include sugar added to coffee, tea, cereal, etc. Q84</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15687	Range	0 - 50 (median=0 mean=1.3 std=2.5)
79		Missing

Cohort, Exam 1

<i>DTIA85</i>		<i>[RC 8] In cooking vegetables, how often do you add fat such as salt pork, butter, or margarine? Q85</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
338	A	2-3 times per day
2951	B	1 time per day
1027	C	5-6 times per week
3566	D	2-4 times per week
1549	E	1 time per week
1795	F	1-3 times per month
3189	G	Never
1325	H	Unknown
26		Missing

<i>DTIA86</i>		<i>[RC 8] How often is salt or salt-containing seasoning such as garlic salt, onion salt, soy sauce, or Accent added to your food in cooking? Q86</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1398	A	2-3 times per day
3826	B	1 time per day
1426	C	5-6 times per week
2655	D	2-4 times per week
1292	E	1 time per week
1710	F	1-3 times per month
2412	G	Never
1023	H	Unknown
24		Missing

<i>DTIA87</i>		<i>How many shakes of salt do you add to your food at the table every day? Q87</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15630	Range	0 - 45 (median=0 mean=1.1 std=2.1)
136		Missing

Cohort, Exam 1

<i>DTIA88</i>		<i>[RC 8] How often do you add catsup, hot sauce, soy or steak sauces to your food? Q88</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
158	A	2-3 times per day
983	B	1 time per day
514	C	5-6 times per week
2946	D	2-4 times per week
2975	E	1 time per week
3898	F	1-3 times per month
4155	G	Never
116	H	Unknown
21		Missing

<i>DTIA89</i>		<i>[RC 8] How often do you eat special low salt foods such as low salt chips, nuts, cheese, or salad dressing? Q89</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
87	A	2-3 times per day
454	B	1 time per day
354	C	5-6 times per week
1425	D	2-4 times per week
1381	E	1 time per week
3047	F	1-3 times per month
8512	G	Never
480	H	Unknown
26		Missing

I. ALCOHOL

"I am going to ask you about wine, beer, and drinks made with hard liquor because these are the three major types of alcoholic beverages."

<i>DTIA90</i>		<i>Do you presently drink alcoholic beverages? Q90</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
6951	N	No
8772	Y	Yes <i>[skip to Q.96]</i>
43		Missing

Cohort, Exam 1

<i>DTIA91</i>		<i>Have you ever consumed alcoholic beverages? Q91</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
3955	N	No [<i>skip to Q.101</i>]
3083	Y	Yes
8728		Missing

<i>DTIA92</i>		<i>Approximately how many years ago did you stop drinking Q92</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2990	Range	0 - 50 (median=10 mean=12.7 std=10.6)
12776		Missing

<i>DTIA93</i>		<i>For how many years did you drink alcoholic beverages? Q93</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2936	Range	0 - 50 (median=15 mean=16.0 std=11.3)
12830		Missing

In the past, which types of alcoholic beverages did you ordinarily drink?

<i>DTIA94A</i>		<i>Drink wine? Q94a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1910	N	No
1076	Y	Yes
12780		Missing

<i>DTIA94B</i>		<i>Drind beer? Q94b</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
906	N	No
2082	Y	Yes
12778		Missing

<i>DTIA94C</i>		<i>Drinks made from hard liquor? Q94c</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
855	N	No
2132	Y	Yes
12779		Missing

Cohort, Exam 1

<i>DTIA94D</i>		<i>Drink others Q94d</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2800	N	No
91	Y	Yes
12875		Missing

<i>DTIA94E</i>		<i>List other drinks Q94e</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
83	Present	Text suppressed
15683		Missing

<i>DTIA95</i>		<i>What was the usual number of drinks you had per week before you stopped drinking alcoholic beverages? Q95</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2907	Range	0 - 99 (median=3 mean=11.6 std=19.7)
12859		Missing

(One drink means 1 beer or 1 glass of wine or 1 shot of liquor or 1 mixed drink)

<i>DTIA96</i>		<i>How many glasses of wine do you usually have per week? (4 oz. glasses; round down) Q96</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8811	Range	0 - 60 (median=0 mean=0.9 std=2.5)
6955		Missing

<i>DTIA97</i>		<i>How many bottles of cans of beer do you usually have per week? (12 oz. bottles or cans; round down) Q97</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8815	Range	0 - 99 (median=0 mean=2.7 std=6.4)
6951		Missing

<i>DTIA98</i>		<i>How many drinks of hard liquor do you usually have per week? (1 1/2 oz. shots; round down) Q98</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8806	Range	0 - 99 (median=0 mean=2.3 std=5.8)
6960		Missing

Cohort, Exam 1

<i>DTIA99</i>		<i>During the past 24 hours, how many drinks have you had? Q99</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
8806	Range	0 - 32 (median=0 mean=0.5 std=1.4)
6960		Missing

<i>DTIA100A</i>		<i>Drank wine in the past 24 hrs Q100a</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1634	N	No
444	Y	Yes
13688		Missing

<i>DTIA100B</i>		<i>Drank beer in the past 24 hrs Q100b</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1155	N	No
921	Y	Yes
13690		Missing

<i>DTIA100C</i>		<i>Drank liquor in the past 24 hrs Q100c</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1151	N	No
927	Y	Yes
13688		Missing

J. WEIGHT AT AGE 25

<i>DTIA101</i>		<i>Weight at the age 25 Q101</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15594	Range	0 - 360 (median=139 mean=145.0 std=30.7)
172		Missing

K. ADMINISTRATIVE INFORMATION

Cohort, Exam 1

<i>DTIA102</i>		<i>Interviewer's opinion of information Q102</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15037	A	Reliable
611	B	Questionable
35	C	Participant uncooperative
44	D	Participant unable to estimate frequencies
39		Missing

<i>DTIA103</i>		<i>Data collection date Q103</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15753	Range	01/13/1986 - 03/29/1990
13		Missing

<i>DTIA104</i>		<i>Method of data collection Q104</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
11864	C	Computer
3890	P	Paper form
12		Missing

<i>DTIA105</i>		<i>Code of person completing form Q105</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15752	Present	Text suppressed
14		Missing

<i>DTIACY</i>		<i>Contact year</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	1	

<i>DTIAFLAG</i>		<i>Flag indicating the presence of DTIA</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	1	

<i>ID</i>		<i>Aric Subject ID (Cir)</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
15766	Present	Text suppressed