

Section 3: V7 / NCS Forms

Medication Survey: FORM CODE=MSR VERSION=0300

Instructions: This form obtains information on medication usage by participant.

| <i>Vers</i> | | <i>Vers</i> |
|-------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3586 | 0300 | |

| <i>EventName</i> | | <i>EventName</i> |
|------------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3586 | V7 / NCS | |

| <i>Occurrence</i> | | <i>Occurrence</i> |
|-------------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3586 | 1 | |

| <i>MSR0a</i> | | <i>Completion date</i> |
|--------------|--------------|-------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3584 | Range | 02/02/2018 - 11/15/2019 |
| 2 | | Missing |

| <i>MSR0b</i> | | <i>Staff ID</i> |
|--------------|--------------|--------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3573 | Present | Text suppressed |
| 13 | | Missing |

| <i>MSR1</i> | | <i>Were medications brought to interview</i> |
|-------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 62 | N | N=No, none of them |
| 41 | S | S=No, some of them |
| 3478 | Y | Y=Yes, all of them |
| 5 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR2</i> | | <i>Reason for not bringing medications</i> |
|-------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 23 | F | F=Forgot or was unable to bring medication |
| 37 | T | T=Took no medication |
| 3523 | ~ | Legitimately skipped |
| 3 | | Missing |

| <i>MSR3</i> | | <i>Follow up allowed</i> |
|-------------|--------------|--------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | N | N=No or not applicable |
| 58 | Y | Y=Yes |
| 3519 | ~ | Legitimately skipped |
| 5 | | Missing |

| <i>MSR4</i> | | <i>Method of follow up</i> |
|-------------|--------------|----------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 55 | Present | Text suppressed |
| 3527 | ~ | Legitimately skipped |
| 4 | | Missing |

| <i>MSR5a</i> | | <i>Med 1: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3510 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 10 | | Missing |

| <i>MSR5b</i> | | <i>Med 1: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

| <i>MSR5c</i> | | <i>Med 1: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 8 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3512 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR5d</i> | | <i>Med 1: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

| <i>MSR6a</i> | | <i>Med 2: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3452 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 68 | | Missing |

| <i>MSR6b</i> | | <i>Med 2: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

| <i>MSR6c</i> | | <i>Med 2: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3516 | | Missing |

| <i>MSR6d</i> | | <i>Med 2: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3516 | | Missing |

| <i>MSR7a</i> | | <i>Med 3: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3368 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 152 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR7b</i> | | <i>Med 3: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 8 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3512 | | Missing |

| <i>MSR7c</i> | | <i>Med 3: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 5 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3515 | | Missing |

| <i>MSR7d</i> | | <i>Med 3: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 5 | MG | |
| 66 | ~ | Legitimately skipped |
| 3515 | | Missing |

| <i>MSR8a</i> | | <i>Med 4: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3244 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 276 | | Missing |

| <i>MSR8b</i> | | <i>Med 4: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 12 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3508 | | Missing |

| <i>MSR8c</i> | | <i>Med 4: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 6 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3514 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR8d</i> | | <i>Med 4: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | GM | |
| 1 | IU | |
| 2 | MG | |
| 2 | mg | |
| 66 | ~ | Legitimately skipped |
| 3514 | | Missing |

| <i>MSR9a</i> | | <i>Med 5: Scanned UPC med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3039 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 481 | | Missing |

| <i>MSR9b</i> | | <i>Med 5: Not scanned med name</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 17 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3503 | | Missing |

| <i>MSR9c</i> | | <i>Med 5: Not scanned strength</i> |
|--------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

| <i>MSR9d</i> | | <i>Med 5: Not scanned units</i> |
|--------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR10a</i> | | <i>Med 6: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2782 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 738 | | Missing |

| <i>MSR10b</i> | | <i>Med 6: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 26 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3494 | | Missing |

| <i>MSR10c</i> | | <i>Med 6: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 10 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3510 | | Missing |

| <i>MSR10d</i> | | <i>Med 6: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 12 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3508 | | Missing |

| <i>MSR11a</i> | | <i>Med 7: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2502 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 1018 | | Missing |

| <i>MSR11b</i> | | <i>Med 7: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 25 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3495 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR11c</i> | | <i>Med 7: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

| <i>MSR11d</i> | | <i>Med 7: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 13 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3507 | | Missing |

| <i>MSR12a</i> | | <i>Med 8: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2193 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 1327 | | Missing |

| <i>MSR12b</i> | | <i>Med 8: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 18 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3502 | | Missing |

| <i>MSR12c</i> | | <i>Med 8: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | 500 | |
| 1 | 6000 | |
| 66 | ~ | Legitimately skipped |
| 3518 | | Missing |

| <i>MSR12d</i> | | <i>Med 8: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | MCG | |
| 1 | MG | |
| 66 | ~ | Legitimately skipped |
| 3518 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR13a</i> | | <i>Med 9: Scanned UPC med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1860 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 1660 | | Missing |

| <i>MSR13b</i> | | <i>Med 9: Not scanned med name</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 19 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3501 | | Missing |

| <i>MSR13c</i> | | <i>Med 9: Not scanned strength</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

| <i>MSR13d</i> | | <i>Med 9: Not scanned units</i> |
|---------------|--------------|---------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

| <i>MSR14a</i> | | <i>Med 10: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1545 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 1975 | | Missing |

| <i>MSR14b</i> | | <i>Med 10: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR14c</i> | | <i>Med 10: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

| <i>MSR14d</i> | | <i>Med 10: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3518 | | Missing |

| <i>MSR15a</i> | | <i>Med 11: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1280 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 2240 | | Missing |

| <i>MSR15b</i> | | <i>Med 11: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 10 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3510 | | Missing |

| <i>MSR15c</i> | | <i>Med 11: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | 0.5 | |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

| <i>MSR15d</i> | | <i>Med 11: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | % | |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR16a</i> | | <i>Med 12: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1025 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 2495 | | Missing |

| <i>MSR16b</i> | | <i>Med 12: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 20 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3500 | | Missing |

| <i>MSR16c</i> | | <i>Med 12: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

| <i>MSR16d</i> | | <i>Med 12: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

| <i>MSR17a</i> | | <i>Med 13: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 835 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 2685 | | Missing |

| <i>MSR17b</i> | | <i>Med 13: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 17 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3503 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR17c</i> | | <i>Med 13: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

| <i>MSR17d</i> | | <i>Med 13: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 11 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3509 | | Missing |

| <i>MSR18a</i> | | <i>Med 14: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 672 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 2848 | | Missing |

| <i>MSR18b</i> | | <i>Med 14: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

| <i>MSR18c</i> | | <i>Med 14: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 7 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3513 | | Missing |

| <i>MSR18d</i> | | <i>Med 14: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 7 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3513 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR19a</i> | | <i>Med 15: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 492 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3028 | | Missing |

| <i>MSR19b</i> | | <i>Med 15: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 8 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3512 | | Missing |

| <i>MSR19c</i> | | <i>Med 15: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3517 | | Missing |

| <i>MSR19d</i> | | <i>Med 15: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | IU | |
| 1 | MCG | |
| 1 | MG | |
| 66 | ~ | Legitimately skipped |
| 3517 | | Missing |

| <i>MSR20a</i> | | <i>Med 16: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 383 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3137 | | Missing |

| <i>MSR20b</i> | | <i>Med 16: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 9 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3511 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR20c</i> | | <i>Med 16: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3516 | | Missing |

| <i>MSR20d</i> | | <i>Med 16: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | IU | |
| 3 | MG | |
| 66 | ~ | Legitimately skipped |
| 3516 | | Missing |

| <i>MSR21a</i> | | <i>Med 17: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 287 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3233 | | Missing |

| <i>MSR21b</i> | | <i>Med 17: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 8 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3512 | | Missing |

| <i>MSR21c</i> | | <i>Med 17: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 4 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3516 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR21d</i> | | <i>Med 17: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2 | IU | |
| 2 | MG | |
| 1 | mg | |
| 66 | ~ | Legitimately skipped |
| 3515 | | Missing |

| <i>MSR22a</i> | | <i>Med 18: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 218 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3302 | | Missing |

| <i>MSR22b</i> | | <i>Med 18: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR22c</i> | | <i>Med 18: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR22d</i> | | <i>Med 18: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR23a</i> | | <i>Med 19: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 168 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3352 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR23b</i> | | <i>Med 19: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

| <i>MSR23c</i> | | <i>Med 19: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR23d</i> | | <i>Med 19: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR24a</i> | | <i>Med 20: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 124 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3396 | | Missing |

| <i>MSR24b</i> | | <i>Med 20: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

| <i>MSR24c</i> | | <i>Med 20: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | 10 | |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR24d</i> | | <i>Med 20: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | MG | |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

| <i>MSR25a</i> | | <i>Med 21: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 95 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3425 | | Missing |

| <i>MSR25b</i> | | <i>Med 21: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3518 | | Missing |

| <i>MSR25c</i> | | <i>Med 21: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3518 | | Missing |

| <i>MSR25d</i> | | <i>Med 21: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | MCG | |
| 1 | MG | |
| 66 | ~ | Legitimately skipped |
| 3518 | | Missing |

| <i>MSR26a</i> | | <i>Med 22: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 77 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3443 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR26b</i> | | <i>Med 22: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR26c</i> | | <i>Med 22: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR26d</i> | | <i>Med 22: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR27a</i> | | <i>Med 23: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 60 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3460 | | Missing |

| <i>MSR27b</i> | | <i>Med 23: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR27c</i> | | <i>Med 23: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR27d</i> | | <i>Med 23: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR28a</i> | | <i>Med 24: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 48 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3472 | | Missing |

| <i>MSR28b</i> | | <i>Med 24: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR28c</i> | | <i>Med 24: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR28d</i> | | <i>Med 24: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR29a</i> | | <i>Med 25: Scanned UPC med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 37 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3483 | | Missing |

| <i>MSR29b</i> | | <i>Med 25: Not scanned med name</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 3519 | | Missing |

| <i>MSR29c</i> | | <i>Med 25: Not scanned strength</i> |
|---------------|--------------|-------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR29d</i> | | <i>Med 25: Not scanned units</i> |
|---------------|--------------|----------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 66 | ~ | Legitimately skipped |
| 3520 | | Missing |

| <i>MSR30</i> | | <i>Total number of medications</i> |
|--------------|--------------|--------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3506 | Range | 0 - 42 (median=9 mean=9.6 std=4.8) |
| 66 | .S | Legitimately skipped |
| 14 | | Missing |

| <i>MSR31</i> | | <i>Number of medications unable to scan/transcribe</i> |
|--------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3504 | Range | 0 - 28 (median=0 mean=0.1 std=1.0) |
| 66 | .S | Legitimately skipped |
| 16 | | Missing |

| <i>MSR32a</i> | | <i>Scanner/transcriber</i> |
|---------------|--------------|----------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3502 | Present | Text suppressed |
| 66 | ~ | Legitimately skipped |
| 18 | | Missing |

| <i>MSR32b</i> | | <i>Scanning/transcription date</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3505 | Range | 02/02/2018 - 11/19/2019 |
| 66 | .S | Legitimately skipped |
| 15 | | Missing |

| <i>MSR33a</i> | | <i>Medication taken for asthma</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3327 | N | N=No |
| 8 | U | U=Unknown |
| 185 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 29 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR33b</i> | | <i>Medication taken for chronic bronchitis or emphysema</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3377 | N | N=No |
| 11 | U | U=Unknown |
| 132 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 29 | | Missing |

| <i>MSR33c</i> | | <i>Medication taken for high blood sugar or diabetes</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2804 | N | N=No |
| 5 | U | U=Unknown |
| 712 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 28 | | Missing |

| <i>MSR33d</i> | | <i>Medication taken for high blood pressure or hypertension</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1043 | N | N=No |
| 25 | U | U=Unknown |
| 2448 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 33 | | Missing |

| <i>MSR33e</i> | | <i>Medication taken for high blood cholesterol</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1648 | N | N=No |
| 67 | U | U=Unknown |
| 1801 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 33 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR33f</i> | | <i>Medication taken for chest pain or angina</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3368 | N | N=No |
| 15 | U | U=Unknown |
| 134 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 32 | | Missing |

| <i>MSR33g</i> | | <i>Medication taken for abnormal heart rhythm</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3010 | N | N=No |
| 57 | U | U=Unknown |
| 446 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 36 | | Missing |

| <i>MSR33h</i> | | <i>Medication taken for heart failure</i> |
|---------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3386 | N | N=No |
| 37 | U | U=Unknown |
| 95 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 31 | | Missing |

| <i>MSR33i</i> | | <i>Medication taken for blood thinning</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2130 | N | N=No |
| 39 | U | U=Unknown |
| 1347 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 33 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR33j</i> | | <i>Medication taken for stroke</i> |
|---------------|--------------|------------------------------------|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3358 | N | N=No |
| 32 | U | U=Unknown |
| 129 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 30 | | Missing |

| <i>MSR33k</i> | | <i>Medication taken for mini-stroke or TIA</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3401 | N | N=No |
| 28 | U | U=Unknown |
| 87 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 33 | | Missing |

| <i>MSR33l</i> | | <i>Medication taken for leg pain while walking or claudication</i> |
|---------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3215 | N | N=No |
| 38 | U | U=Unknown |
| 262 | Y | Y=Yes |
| 37 | ~ | Legitimately skipped |
| 34 | | Missing |

| <i>MSR5a_gpi</i> | | <i>Med 1: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

| <i>MSR5a_components</i> | | <i>Med 1: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR5a_cas</i> | | <i>Med 1: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | null | |
| 124 | | Missing |

| <i>MSR5a_display_name</i> | | <i>Med 1: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

| <i>MSR5a_vendor</i> | | <i>Med 1: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

| <i>MSR5a_name</i> | | <i>Med 1: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

| <i>MSR5a_description</i> | | <i>Med 1: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

| <i>MSR5a_ndc</i> | | <i>Med 1: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

| <i>MSR5a_barcode</i> | | <i>Med 1: Scanned UPC med name: barcode</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3462 | Present | Text suppressed |
| 124 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR5a_verbatim</i> | | <i>Med 1: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3509 | Present | Text suppressed |
| 77 | | Missing |

| <i>MSR6a_gpi</i> | | <i>Med 2: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_components</i> | | <i>Med 2: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_cas</i> | | <i>Med 2: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | null | |
| 184 | | Missing |

| <i>MSR6a_display_name</i> | | <i>Med 2: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_vendor</i> | | <i>Med 2: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_name</i> | | <i>Med 2: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR6a_description</i> | | <i>Med 2: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_ndc</i> | | <i>Med 2: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_barcode</i> s | | <i>Med 2: Scanned UPC med name: barcodes</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3402 | Present | Text suppressed |
| 184 | | Missing |

| <i>MSR6a_verbatim</i> | | <i>Med 2: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3452 | Present | Text suppressed |
| 134 | | Missing |

| <i>MSR7a_gpi</i> | | <i>Med 3: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_component</i> s | | <i>Med 3: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_cas</i> | | <i>Med 3: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | null | |
| 267 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR7a_display_name</i> | | <i>Med 3: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_vendor</i> | | <i>Med 3: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_name</i> | | <i>Med 3: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_description</i> | | <i>Med 3: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_ndc</i> | | <i>Med 3: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_barcode</i> | | <i>Med 3: Scanned UPC med name: barcodes</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3319 | Present | Text suppressed |
| 267 | | Missing |

| <i>MSR7a_verbatim</i> | | <i>Med 3: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3365 | Present | Text suppressed |
| 221 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR8a_gpi</i> | | <i>Med 4: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_components</i> | | <i>Med 4: Scanned UPC med name: components</i> |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_cas</i> | | <i>Med 4: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | null | |
| 386 | | Missing |

| <i>MSR8a_display_name</i> | | <i>Med 4: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_vendor</i> | | <i>Med 4: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_name</i> | | <i>Med 4: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_description</i> | | <i>Med 4: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR8a_ndc</i> | | <i>Med 4: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_barcode</i> s | | <i>Med 4: Scanned UPC med name: barcode</i> s |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3200 | Present | Text suppressed |
| 386 | | Missing |

| <i>MSR8a_verbatim</i> | | <i>Med 4: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3242 | Present | Text suppressed |
| 344 | | Missing |

| <i>MSR9a_gpi</i> | | <i>Med 5: Scanned UPC med name: gpi</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_component</i> s | | <i>Med 5: Scanned UPC med name: component</i> s |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_cas</i> | | <i>Med 5: Scanned UPC med name: cas</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | null | |
| 586 | | Missing |

| <i>MSR9a_display_name</i> | | <i>Med 5: Scanned UPC med name: display_name</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR9a_vendor</i> | | <i>Med 5: Scanned UPC med name: vendor</i> |
|---------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_name</i> | | <i>Med 5: Scanned UPC med name: name</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_description</i> | | <i>Med 5: Scanned UPC med name: description</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_ndc</i> | | <i>Med 5: Scanned UPC med name: ndc</i> |
|------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_barcode</i> | | <i>Med 5: Scanned UPC med name: barcodes</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3000 | Present | Text suppressed |
| 586 | | Missing |

| <i>MSR9a_verbatim</i> | | <i>Med 5: Scanned UPC med name: verbatim</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 3039 | Present | Text suppressed |
| 547 | | Missing |

| <i>MSR10a_gpi</i> | | <i>Med 6: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR10a_components</i> | | <i>Med 6: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

| <i>MSR10a_cas</i> | | <i>Med 6: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | null | |
| 843 | | Missing |

| <i>MSR10a_display_name</i> | | <i>Med 6: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

| <i>MSR10a_vendor</i> | | <i>Med 6: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

| <i>MSR10a_name</i> | | <i>Med 6: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

| <i>MSR10a_description</i> | | <i>Med 6: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

| <i>MSR10a_ndc</i> | | <i>Med 6: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR10a_barcodes</i> | | <i>Med 6: Scanned UPC med name: barcodes</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2743 | Present | Text suppressed |
| 843 | | Missing |

| <i>MSR10a_verbatim</i> | | <i>Med 6: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2779 | Present | Text suppressed |
| 807 | | Missing |

| <i>MSR11a_gpi</i> | | <i>Med 7: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_components</i> | | <i>Med 7: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_cas</i> | | <i>Med 7: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | null | |
| 1122 | | Missing |

| <i>MSR11a_display_name</i> | | <i>Med 7: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_vendor</i> | | <i>Med 7: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR11a_name</i> | | <i>Med 7: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_description</i> | | <i>Med 7: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_ndc</i> | | <i>Med 7: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_barcode</i> | | <i>Med 7: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2464 | Present | Text suppressed |
| 1122 | | Missing |

| <i>MSR11a_verbatim</i> | | <i>Med 7: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2502 | Present | Text suppressed |
| 1084 | | Missing |

| <i>MSR12a_gpi</i> | | <i>Med 8: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR12a_components</i> | | <i>Med 8: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR12a_cas</i> | | <i>Med 8: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | null | |
| 1429 | | Missing |

| <i>MSR12a_display_name</i> | | <i>Med 8: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR12a_vendor</i> | | <i>Med 8: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR12a_name</i> | | <i>Med 8: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR12a_description</i> | | <i>Med 8: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR12a_ndc</i> | | <i>Med 8: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

| <i>MSR12a_barcode</i> | | <i>Med 8: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2157 | Present | Text suppressed |
| 1429 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR12a_verbatim</i> | | <i>Med 8: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 2193 | Present | Text suppressed |
| 1393 | | Missing |

| <i>MSR13a_gpi</i> | | <i>Med 9: Scanned UPC med name: gpi</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_components</i> | | <i>Med 9: Scanned UPC med name: components</i> |
|--------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_cas</i> | | <i>Med 9: Scanned UPC med name: cas</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | null | |
| 1754 | | Missing |

| <i>MSR13a_display_name</i> | | <i>Med 9: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_vendor</i> | | <i>Med 9: Scanned UPC med name: vendor</i> |
|----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_name</i> | | <i>Med 9: Scanned UPC med name: name</i> |
|--------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR13a_description</i> | | <i>Med 9: Scanned UPC med name: description</i> |
|---------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_ndc</i> | | <i>Med 9: Scanned UPC med name: ndc</i> |
|-------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_barcode</i> | | <i>Med 9: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1832 | Present | Text suppressed |
| 1754 | | Missing |

| <i>MSR13a_verbatim</i> | | <i>Med 9: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1858 | Present | Text suppressed |
| 1728 | | Missing |

| <i>MSR14a_gpi</i> | | <i>Med 10: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_components</i> | | <i>Med 10: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_cas</i> | | <i>Med 10: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | null | |
| 2072 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR14a_display_name</i> | | <i>Med 10: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_vendor</i> | | <i>Med 10: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_name</i> | | <i>Med 10: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_description</i> | | <i>Med 10: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_ndc</i> | | <i>Med 10: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_barcode</i> | | <i>Med 10: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1514 | Present | Text suppressed |
| 2072 | | Missing |

| <i>MSR14a_verbatim</i> | | <i>Med 10: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1545 | Present | Text suppressed |
| 2041 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR15a_gpi</i> | | <i>Med 11: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_components</i> | | <i>Med 11: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_cas</i> | | <i>Med 11: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | null | |
| 2328 | | Missing |

| <i>MSR15a_display_name</i> | | <i>Med 11: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_vendor</i> | | <i>Med 11: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_name</i> | | <i>Med 11: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_description</i> | | <i>Med 11: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR15a_ndc</i> | | <i>Med 11: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_barcode</i> s | | <i>Med 11: Scanned UPC med name: barcode</i> s |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1258 | Present | Text suppressed |
| 2328 | | Missing |

| <i>MSR15a_verbatim</i> | | <i>Med 11: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1279 | Present | Text suppressed |
| 2307 | | Missing |

| <i>MSR16a_gpi</i> | | <i>Med 12: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_components</i> | | <i>Med 12: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_cas</i> | | <i>Med 12: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | null | |
| 2578 | | Missing |

| <i>MSR16a_display_name</i> | | <i>Med 12: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR16a_vendor</i> | | <i>Med 12: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_name</i> | | <i>Med 12: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_description</i> | | <i>Med 12: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_ndc</i> | | <i>Med 12: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_barcode</i> | | <i>Med 12: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1008 | Present | Text suppressed |
| 2578 | | Missing |

| <i>MSR16a_verbatim</i> | | <i>Med 12: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 1025 | Present | Text suppressed |
| 2561 | | Missing |

| <i>MSR17a_gpi</i> | | <i>Med 13: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR17a_components</i> | | <i>Med 13: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

| <i>MSR17a_cas</i> | | <i>Med 13: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | null | |
| 2766 | | Missing |

| <i>MSR17a_display_name</i> | | <i>Med 13: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

| <i>MSR17a_vendor</i> | | <i>Med 13: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

| <i>MSR17a_name</i> | | <i>Med 13: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

| <i>MSR17a_description</i> | | <i>Med 13: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

| <i>MSR17a_ndc</i> | | <i>Med 13: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR17a_barcode</i> s | | <i>Med 13: Scanned UPC med name: barcode</i> s |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 820 | Present | Text suppressed |
| 2766 | | Missing |

| <i>MSR17a_verbatim</i> | | <i>Med 13: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 835 | Present | Text suppressed |
| 2751 | | Missing |

| <i>MSR18a_gpi</i> | | <i>Med 14: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_components</i> | | <i>Med 14: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_cas</i> | | <i>Med 14: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | null | |
| 2929 | | Missing |

| <i>MSR18a_display_name</i> | | <i>Med 14: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_vendor</i> | | <i>Med 14: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR18a_name</i> | | <i>Med 14: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_description</i> | | <i>Med 14: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_ndc</i> | | <i>Med 14: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_barcode</i> s | | <i>Med 14: Scanned UPC med name: barcode</i> s |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 657 | Present | Text suppressed |
| 2929 | | Missing |

| <i>MSR18a_verbatim</i> | | <i>Med 14: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 672 | Present | Text suppressed |
| 2914 | | Missing |

| <i>MSR19a_gpi</i> | | <i>Med 15: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

| <i>MSR19a_components</i> | | <i>Med 15: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR19a_cas</i> | | <i>Med 15: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | null | |
| 3101 | | Missing |

| <i>MSR19a_display_name</i> | | <i>Med 15: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

| <i>MSR19a_vendor</i> | | <i>Med 15: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

| <i>MSR19a_name</i> | | <i>Med 15: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

| <i>MSR19a_description</i> | | <i>Med 15: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

| <i>MSR19a_ndc</i> | | <i>Med 15: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

| <i>MSR19a_barcode</i> | | <i>Med 15: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 485 | Present | Text suppressed |
| 3101 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR19a_verbatim</i> | | <i>Med 15: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 491 | Present | Text suppressed |
| 3095 | | Missing |

| <i>MSR20a_gpi</i> | | <i>Med 16: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_components</i> | | <i>Med 16: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_cas</i> | | <i>Med 16: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | null | |
| 3207 | | Missing |

| <i>MSR20a_display_name</i> | | <i>Med 16: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_vendor</i> | | <i>Med 16: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_name</i> | | <i>Med 16: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR20a_description</i> | | <i>Med 16: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_ndc</i> | | <i>Med 16: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_barcode</i> | | <i>Med 16: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 379 | Present | Text suppressed |
| 3207 | | Missing |

| <i>MSR20a_verbatim</i> | | <i>Med 16: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 383 | Present | Text suppressed |
| 3203 | | Missing |

| <i>MSR21a_gpi</i> | | <i>Med 17: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_components</i> | | <i>Med 17: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_cas</i> | | <i>Med 17: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | null | |
| 3303 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR21a_display_name</i> | | <i>Med 17: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_vendor</i> | | <i>Med 17: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_name</i> | | <i>Med 17: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_description</i> | | <i>Med 17: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_ndc</i> | | <i>Med 17: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_barcode</i> | | <i>Med 17: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 283 | Present | Text suppressed |
| 3303 | | Missing |

| <i>MSR21a_verbatim</i> | | <i>Med 17: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 287 | Present | Text suppressed |
| 3299 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR22a_gpi</i> | | <i>Med 18: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_components</i> | | <i>Med 18: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_cas</i> | | <i>Med 18: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | null | |
| 3372 | | Missing |

| <i>MSR22a_display_name</i> | | <i>Med 18: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_vendor</i> | | <i>Med 18: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_name</i> | | <i>Med 18: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_description</i> | | <i>Med 18: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR22a_ndc</i> | | <i>Med 18: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_barcode</i> s | | <i>Med 18: Scanned UPC med name: barcodes</i> |
|-------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 214 | Present | Text suppressed |
| 3372 | | Missing |

| <i>MSR22a_verbatim</i> | | <i>Med 18: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 218 | Present | Text suppressed |
| 3368 | | Missing |

| <i>MSR23a_gpi</i> | | <i>Med 19: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_components</i> | | <i>Med 19: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_cas</i> | | <i>Med 19: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | null | |
| 3421 | | Missing |

| <i>MSR23a_display_name</i> | | <i>Med 19: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR23a_vendor</i> | | <i>Med 19: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_name</i> | | <i>Med 19: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_description</i> | | <i>Med 19: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_ndc</i> | | <i>Med 19: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_barcode</i> | | <i>Med 19: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 165 | Present | Text suppressed |
| 3421 | | Missing |

| <i>MSR23a_verbatim</i> | | <i>Med 19: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 168 | Present | Text suppressed |
| 3418 | | Missing |

| <i>MSR24a_gpi</i> | | <i>Med 20: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR24a_components</i> | | <i>Med 20: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

| <i>MSR24a_cas</i> | | <i>Med 20: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | null | |
| 3464 | | Missing |

| <i>MSR24a_display_name</i> | | <i>Med 20: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

| <i>MSR24a_vendor</i> | | <i>Med 20: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

| <i>MSR24a_name</i> | | <i>Med 20: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

| <i>MSR24a_description</i> | | <i>Med 20: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

| <i>MSR24a_ndc</i> | | <i>Med 20: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR24a_barcode</i> s | | <i>Med 20: Scanned UPC med name: barcode</i> s |
|-------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 122 | Present | Text suppressed |
| 3464 | | Missing |

| <i>MSR24a_verbatim</i> | | <i>Med 20: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 124 | Present | Text suppressed |
| 3462 | | Missing |

| <i>MSR25a_gpi</i> | | <i>Med 21: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_components</i> | | <i>Med 21: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_cas</i> | | <i>Med 21: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | null | |
| 3493 | | Missing |

| <i>MSR25a_display_name</i> | | <i>Med 21: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_vendor</i> | | <i>Med 21: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR25a_name</i> | | <i>Med 21: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_description</i> | | <i>Med 21: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_ndc</i> | | <i>Med 21: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_barcode</i> s | | <i>Med 21: Scanned UPC med name: barcodes</i> |
|-------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 93 | Present | Text suppressed |
| 3493 | | Missing |

| <i>MSR25a_verbatim</i> | | <i>Med 21: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 95 | Present | Text suppressed |
| 3491 | | Missing |

| <i>MSR26a_gpi</i> | | <i>Med 22: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

| <i>MSR26a_components</i> | | <i>Med 22: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR26a_cas</i> | | <i>Med 22: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | null | |
| 3510 | | Missing |

| <i>MSR26a_display_name</i> | | <i>Med 22: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

| <i>MSR26a_vendor</i> | | <i>Med 22: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

| <i>MSR26a_name</i> | | <i>Med 22: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

| <i>MSR26a_description</i> | | <i>Med 22: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

| <i>MSR26a_ndc</i> | | <i>Med 22: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

| <i>MSR26a_barcode</i> | | <i>Med 22: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 76 | Present | Text suppressed |
| 3510 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR26a_verbatim</i> | | <i>Med 22: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 77 | Present | Text suppressed |
| 3509 | | Missing |

| <i>MSR27a_gpi</i> | | <i>Med 23: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_components</i> | | <i>Med 23: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_cas</i> | | <i>Med 23: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | null | |
| 3527 | | Missing |

| <i>MSR27a_display_name</i> | | <i>Med 23: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_vendor</i> | | <i>Med 23: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_name</i> | | <i>Med 23: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR27a_description</i> | | <i>Med 23: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_ndc</i> | | <i>Med 23: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_barcode</i> | | <i>Med 23: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 59 | Present | Text suppressed |
| 3527 | | Missing |

| <i>MSR27a_verbatim</i> | | <i>Med 23: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 60 | Present | Text suppressed |
| 3526 | | Missing |

| <i>MSR28a_gpi</i> | | <i>Med 24: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_components</i> | | <i>Med 24: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_cas</i> | | <i>Med 24: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | null | |
| 3539 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR28a_display_name</i> | | <i>Med 24: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_vendor</i> | | <i>Med 24: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_name</i> | | <i>Med 24: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_description</i> | | <i>Med 24: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_ndc</i> | | <i>Med 24: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_barcode</i> | | <i>Med 24: Scanned UPC med name: barcode</i> |
|-----------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 47 | Present | Text suppressed |
| 3539 | | Missing |

| <i>MSR28a_verbatim</i> | | <i>Med 24: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 48 | Present | Text suppressed |
| 3538 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR29a_gpi</i> | | <i>Med 25: Scanned UPC med name: gpi</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_components</i> | | <i>Med 25: Scanned UPC med name: components</i> |
|--------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_cas</i> | | <i>Med 25: Scanned UPC med name: cas</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | null | |
| 3550 | | Missing |

| <i>MSR29a_display_name</i> | | <i>Med 25: Scanned UPC med name: display_name</i> |
|----------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_vendor</i> | | <i>Med 25: Scanned UPC med name: vendor</i> |
|----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_name</i> | | <i>Med 25: Scanned UPC med name: name</i> |
|--------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_description</i> | | <i>Med 25: Scanned UPC med name: description</i> |
|---------------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

Section 3: V7 / NCS Forms

| <i>MSR29a_ndc</i> | | <i>Med 25: Scanned UPC med name: ndc</i> |
|-------------------|--------------|--|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_barcode</i> | | <i>Med 25: Scanned UPC med name: barcodes</i> |
|-----------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 36 | Present | Text suppressed |
| 3550 | | Missing |

| <i>MSR29a_verbatim</i> | | <i>Med 25: Scanned UPC med name: verbatim</i> |
|------------------------|--------------|---|
| <i>N</i> | <i>Value</i> | <i>Description</i> |
| 37 | Present | Text suppressed |
| 3549 | | Missing |