

Section 3: V5/NCS Stage 2 Forms**Unified Parkinson's Rating Scale: FORM CODE=UPR VERSION=1.0****Instructions:** This form is used to categorize the degree and status of Parkinson's Disease in the participant.

<i>Vers</i>		<i>Vers</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2955	0100	

<i>EventName</i>		<i>EventName</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2955	NCS Stage 2	

<i>Occurrence</i>		<i>Occurrence</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2947	1	
8	2	

<i>UPR0a</i>		<i>Completion Date</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Range	07/05/2011 - 11/11/2013
70		Missing

<i>UPR0b</i>		<i>Staff ID</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR1</i>		<i>Speech</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2525	0	0 = Normal
327	1	1 = Slight loss of expression, diction (clarity of articulation) and/or volume
24	2	2 = Monotone, slurred but understandable; moderately impaired
5	3	3 = Marked impairment, difficult to understand
2	4	4 = Unintelligible
1	8	8 = Untestable
71		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR1a</i>		<i>Speech Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR2</i>		<i>Facial Expression</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2454	0	0 = Normal
374	1	1 = Slight reduction in facial expressiveness (hypomimia), could be normal poker face
51	2	2 = Slight but definitely abnormal diminution of facial expression
3	3	3 = Moderate hypomimia; lips parted some of the time
2	4	4 = Masked or fixed facies with severe or complete loss of facial expression; lips parted ¼ inch or more.
71		Missing

<i>UPR2a</i>		<i>Facial Expression Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	~	Legitimately skipped
70		Missing

<i>UPR3a</i>		<i>Face, Lips, Chin</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2752	0	0 = Absent
104	1	1 = Slight and infrequently present
25	2	2 = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present most of the time
1	3	3 = Moderate in amplitude and present most of the time
1	4	4 = Marked in amplitude and present most of the time
72		Missing

<i>UPR3a1</i>		<i>Face, Lips, Chin Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	~	Legitimately skipped
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR3b</i>		<i>Right Hand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2633	0	0 = Absent
175	1	1 = Slight and infrequently present
58	2	2 = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present most of the time
13	3	3 = Moderate in amplitude and present most of the time
3	4	4 = Marked in amplitude and present most of the time
73		Missing

<i>UPR3b1</i>		<i>Right Hand Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	~	Legitimately skipped
70		Missing

<i>UPR3c</i>		<i>Left Hand</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2609	0	0 = Absent
207	1	1 = Slight and infrequently present
49	2	2 = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present most of the time
12	3	3 = Moderate in amplitude and present most of the time
1	4	4 = Marked in amplitude and present most of the time
4	8	8 = Untestable
73		Missing

<i>UPR3c1</i>		<i>Left Hand Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR3d</i>		<i>Right Foot</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2824	0	0 = Absent
40	1	1 = Slight and infrequently present
6	2	2 = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present most of the time
5	3	3 = Moderate in amplitude and present most of the time
6	8	8 = Untestable
74		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR3d1</i>		<i>Right Foot Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR3e</i>		<i>Left Foot</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2832	0	0 = Absent
28	1	1 = Slight and infrequently present
8	2	2 = Mild in amplitude and persistent; or moderate in amplitude, but only intermittently present most of the time
4	3	3 = Moderate in amplitude and present most of the time
10	8	8 = Untestable
73		Missing

<i>UPR3e1</i>		<i>Left Foot Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR4a</i>		<i>Right Hand Postural Tremor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2433	0	0 = Absent
387	1	1 = Slight; present with action
38	2	2 = Moderate in amplitude, present with action
14	3	3 = Moderate in amplitude with posture holding as well as action
3	4	4 = Marked in amplitude; interferes with feeding
5	8	8 = Untestable
75		Missing

<i>UPR4a1</i>		<i>Right Hand Postural Tremor Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR4b</i>		<i>Left Hand Postural Tremor</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2419	0	0 = Absent
396	1	1 = Slight; present with action
49	2	2 = Moderate in amplitude, present with action
8	3	3 = Moderate in amplitude with posture holding as well as action
1	4	4 = Marked in amplitude; interferes with feeding
7	8	8 = Untestable
75		Missing

<i>UPR4b1</i>		<i>Left Hand Postural Tremor Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR5a</i>		<i>Neck Rigidity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1506	0	0 = Absent
1094	1	1 = Slight; or detectable only when activated by mirror or other movements
209	2	2 = Mild to moderate
18	3	3 = Marked, but full range of motion easily achieved
19	4	4 = Severe; range of motion achieved with difficulty
17	8	8 = Untestable
92		Missing

<i>UPR5a1</i>		<i>Neck Rigidity Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR5b</i>		<i>Right Upper Extremity Rigidity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2016	0	0 = Absent
749	1	1 = Slight; or detectable only when activated by mirror or other movements
67	2	2 = Mild to moderate
10	3	3 = Marked, but full range of motion easily achieved
7	4	4 = Severe; range of motion achieved with difficulty
18	8	8 = Untestable
88		Missing

<i>UPR5b1</i>		<i>Right Upper Extremity Rigidity Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR5c</i>		<i>Left Upper Extremity Rigidity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2037	0	0 = Absent
727	1	1 = Slight; or detectable only when activated by mirror or other movements
70	2	2 = Mild to moderate
9	3	3 = Marked, but full range of motion easily achieved
8	4	4 = Severe; range of motion achieved with difficulty
16	8	8 = Untestable
88		Missing

<i>UPR5c1</i>		<i>Left Upper Extremity Rigidity Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR5d</i>		<i>Right Lower Extremity Rigidity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2124	0	0 = Absent
578	1	1 = Slight; or detectable only when activated by mirror or other movements
99	2	2 = Mild to moderate
9	3	3 = Marked, but full range of motion easily achieved
11	4	4 = Severe; range of motion achieved with difficulty
33	8	8 = Untestable
101		Missing

<i>UPR5d1</i>		<i>Right Lower Extremity Rigidity Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR5e</i>		<i>Left Lower Extremity Rigidity</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2136	0	0 = Absent
571	1	1 = Slight; or detectable only when activated by mirror or other movements
96	2	2 = Mild to moderate
7	3	3 = Marked, but full range of motion easily achieved
13	4	4 = Severe; range of motion achieved with difficulty
29	8	8 = Untestable
103		Missing

<i>UPR5e1</i>		<i>Left Lower Extremity Rigidity Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR6a</i>		<i>Right Hand Finger Tap</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2149	0	0 = Normal
596	1	1 = Mild slowing and/or reduction in amplitude
97	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
17	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
8	4	4 = Can barely perform the task
14	8	8 = Untestable
74		Missing

<i>UPR6a1</i>		<i>Right Hand Finger Tap Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR6b</i>		<i>Left Hand Finger Tap</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2106	0	0 = Normal
643	1	1 = Mild slowing and/or reduction in amplitude
95	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
17	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
5	4	4 = Can barely perform the task
14	8	8 = Untestable
75		Missing

<i>UPR6b1</i>		<i>Left Hand Finger Tap Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR7a</i>		<i>Right Hand Movements</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2280	0	0 = Normal
504	1	1 = Mild slowing and/or reduction in amplitude
66	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
7	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
8	4	4 = Can barely perform the task
16	8	8 = Untestable
74		Missing

<i>UPR7a1</i>		<i>Right Hand Movements Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR7b</i>		<i>Left Hand Movements</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2244	0	0 = Normal
539	1	1 = Mild slowing and/or reduction in amplitude
65	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
11	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
6	4	4 = Can barely perform the task
14	8	8 = Untestable
76		Missing

<i>UPR7b1</i>		<i>Left Hand Movements Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR8a</i>		<i>Right Hand Alternating Movements</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2149	0	0 = Normal
597	1	1 = Mild slowing and/or reduction in amplitude
101	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
11	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
6	4	4 = Can barely perform the task
15	8	8 = Untestable
76		Missing

<i>UPR8a1</i>		<i>Right Hand Alternating Movements Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR8b</i>		<i>Left Hand Alternating Movements</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2084	0	0 = Normal
657	1	1 = Mild slowing and/or reduction in amplitude
108	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
7	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
6	4	4 = Can barely perform the task
16	8	8 = Untestable
77		Missing

<i>UPR8b1</i>		<i>Left Hand Alternating Movements Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2884	Present	Text suppressed
71		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR9a</i>		<i>Right Leg Ability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2369	0	0 = Normal
415	1	1 = Mild slowing and/or reduction in amplitude
52	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
8	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
6	4	4 = Can barely perform the task
27	8	8 = Untestable
78		Missing

<i>UPR9a1</i>		<i>Right Leg Ability Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR9b</i>		<i>Left Leg Ability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2323	0	0 = Normal
456	1	1 = Mild slowing and/or reduction in amplitude
56	2	2 = Moderately impaired; definite and early fatiguing; may have occasional arrests in movement
7	3	3 = Severely impaired; frequent hesitation in initiating movements or arrests in ongoing movement
6	4	4 = Can barely perform the task
29	8	8 = Untestable
78		Missing

<i>UPR9b1</i>		<i>Left Leg Ability Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2884	Present	Text suppressed
71		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR10</i>		<i>Rising from Chair</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2275	0	0 = Normal
269	1	1 = Slow; or may need more than one attempt
138	2	2 = Pushes self up from arms of seat
40	3	3 = Tends to fall back and may have to try more than one time, but can get up without help
125	4	4 = Unable to arise without help
30	8	8 = Untestable
78		Missing

<i>UPR10a</i>		<i>Rising from Chair Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR11</i>		<i>Posture</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1813	0	0 = Normal
908	1	1 = Not quite erect, slightly stooped posture, could be normal for older person
122	2	2 = Moderately stooped posture; definitely abnormal; can be leaning slightly to one side
16	3	3 = Severely stooped posture with kyphosis (backward curvature of the spine); can be leaning moderately to one side
4	4	4 = Marked flexion with extreme abnormality of posture
15	8	8 = Untestable
77		Missing

<i>UPR11a</i>		<i>Posture Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR12</i>		<i>Gait</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1801	0	0 = Normal
849	1	1 = Walks slowly; may shuffle with short steps, but no festination or propulsion
125	2	2 = Walks with difficulty, but requires little or no assistance; may have some festination, short steps or propulsion
71	3	3 = Severe disturbance of gait; requiring assistance
9	4	4 = Cannot walk at all, even with assistance
18	8	8 = Untestable
82		Missing

<i>UPR12a</i>		<i>Gait Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing

<i>UPR13</i>		<i>Posture stability</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1988	0	0 = Normal erect
533	1	1 = Retropulsion, but recovers unaided
231	2	2 = Absence of postural response; would fall if not caught by examiner
30	3	3 = Very unstable, tends to lose balance spontaneously
35	4	4 = Unable to stand without assistance
48	8	8 = Untestable
90		Missing

<i>UPR13a</i>		<i>Posture stability untestable reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2884	Present	Text suppressed
71		Missing

Section 3: V5/NCS Stage 2 Forms

<i>UPR14</i>		<i>Body Bradykinesia and Hypokinesia</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
1910	0	0 = None
752	1	1 = Minimal slowness, giving movement a deliberate character (could be normal for some persons); possible reduced amplitude
126	2	2 = Mild degree of slowness and poverty of movement that is definitely abnormal. Alternatively, some reduced amplitude
34	3	3 = Moderate slowness, poverty or small amplitude of movement
26	4	4 = Marked slowness, poverty or small amplitude of movement
28	8	8 = Untestable
79		Missing

<i>UPR14a</i>		<i>Body Bradykinesia and Hypokinesia Untestable Reason</i>
<i>N</i>	<i>Value</i>	<i>Description</i>
2885	Present	Text suppressed
70		Missing